

# Notifications sur telephone via l'application ntfy ( open source )

## Installation

### sur telephone

Installer l'application ntfy via Play Store




S'abonner au sujet :



exemple : fablab\_alarme\_intrusion

Et bien sur autoriser et regler votre sonnerie des notifications


## Sur node-red



pour le test installer 3 noeuds :

1. -Inject :Horodatage
2. -Change
3. -Exec

-1- Le noeud Horodatage




msg.payload = Horodatage

The screenshot shows the 'Modifier le noeud inject' (Edit Inject Node) dialog box in Node-RED. It has a title bar and three buttons: 'Supprimer' (Delete), 'Annuler' (Cancel), and 'Terminer' (Finish). Below the buttons is a 'Propriétés' (Properties) section with a search icon and a refresh icon. The 'Nom' (Name) field contains 'Nom'. There are two property rows: 'msg.payload' set to 'horodatage' and 'msg.topic' set to 'i\_2'. At the bottom, there are options for '+ Ajouter' (Add), 'Injecter maintenant' (Inject now), a checkbox for 'Injecter une fois après 0,1 secondes, puis' (Inject once after 0.1 seconds, then), and a 'Répéter' (Repeat) dropdown set to 'non' (no). The dialog is currently active, as indicated by the 'Activé' (Active) status at the bottom left.

## -2- Le noeud Change



```
curl -d "hello fabalb" ntfy.sh/fablab_alarme_intrusion
```



From: <https://www.fablab37110.chanterie37.fr/> - **Castel'Lab le Fablab MJC de Château-Renault**

Permanent link: <https://www.fablab37110.chanterie37.fr/doku.php?id=start:raspberry:nodered:notifications&rev=1710423453>

Last update: **2024/03/14 14:37**

